

---

## W013/4200 YAMAHA T7 TWO-FINGER LEVERS SILVER

---

July 2023

### Why do you want to fit this part?

- To make the use of the front brake and clutch lever more comfortable without pinching your fingers when pulling the clutch.

### This part fits on the following motorcycle:

- Yamaha T7 2022+

### Part list:

- 1 x Two-Finger Front Brake Lever
- 1 x Two-Finger Clutch Lever

### Tools needed:

- 10mm Spanner
- Flat Screwdriver
- Hammer
- 10mm Drill Bit



## W013/4200 YAMAHA T7 TWO-FINGER LEVERS SILVER

### Fitment Instructions:

#### Two-Finger Clutch Lever

**Step 1:** Release the clutch cable where it connects to the engine at the bottom right.



**Step 2:** Unscrew the bottom nut holding the clutch lever in place using a 10mm spanner.



---

## W013/4200 YAMAHA T7 TWO-FINGER LEVERS SILVER

---

**Step 3:** Release the cable from the lever and remove the lever from the bike.

**Step 4:** Punch the bush out with a 10mm drill bit or shaft object of similar diameter.

**Step 5:** Pull out the inner component. Be careful not to lose the inside spring.

**Step 6:** Insert spring and bush into new lever and re-install the clutch lever and cable.

**Step 7:** Ensure all bolts are tightened and the clutch cable is in good working order before riding.

---

### Two-Finger Front Brake Lever

---

**Step 1:** Unscrew the bottom nut holding the brake lever in place using a 10mm spanner. Use a flat screwdriver to prevent the bolt from turning at the top.



**Step 2:** Pull the OEM lever outwards from the bike to remove it.

**Step 3:** Install the Two-Finger Lever using the 10mm spanner and flat screwdriver as in Step 1.

**Step 4:** Ensure all bolts are fastened and the brake lever set properly before riding.

All parts and accessories are fitted at own risk. Wild at Heart Adventure (Pty) Ltd. and the directors do not take any responsibility for any damage or injury due to the fitment or use of the accessories.